

EQUIPMENT	DESCRIPTION
LIGHTING	
Price will vary due to length of job	
25 kVA LED Light Tower, Diesel w/ Shore Power (LT)	25kVA Light Tower 25' x6 320w LED lights, Kubota T4 Engine w/ Shore Power
25 kVA LED Stadium Light Tower, Diesel (SL)	Equinox 60' Stadium LED Light Tower . 4 x 30 Amp and 4 x 110 Amp Aux. Receptacles
Standalone Stadium Light Tower w/ Shore Power (SL)	Stadium Light, Not Utilizing Generator
Standalone LED Light Tower 4 Light (PLT)	Standalone LED Light Tower 4 Light with shore power
Standalone Emergency LED Light Tower 4 Light (ELT)	Standalone LED Light Tower 4 Light with shore power & UPS backup power
Explosion Proof Single LED Light (XPL)	Explosion Proof Single LED Light
HEATERS & TANKS	
Price will vary due to length of job	
900 Flameless Heater (ATI)	Each heater comes with 2- 25' tubes
500 Flameless Heater (ATI)	Each heater comes with 2-25' tubes
Natural Gas 650 Flameless Heater	Each heater comes with 2-25' tubes
Electric Heater (500 Series)	Each heater comes with 2-25' tubes
Extra Heater Duct	Per 25' tube
1000 L Fuel Cube (DT)	Portable 1000 Litre Fuel Cube
2500 L Fuel Cube (DT)	Portable 2500 Litre Fuel Cube
4500 L Fuel Cube (DT)	Portable 4500 Litre Fuel Cube
High Pressure Scrubber (HPS)	High Pressure Scrubber
DIESEL GENERATORS (DG)	
600 Volt is available on some of the generators, inquire Generator price will vary due to length of job***	
Diesel Generator 8-20 kVA	480 Volt with cam connections
Diesel Generator 25 kVA (20 kW)	480 Volt with cam connections (LT's)
Diesel Generator 35 kVA (28 kW)	480 Volt with cam connections
Diesel Generator 45 kVA (36 kW)	480 Volt with cam connections
Diesel Generator 45 kVA (36 kW)	480 Volt with cam connections- with extended fuel tank and x4 LED lights
Diesel Generator 60/70 kVA (48 kW/56 kW)	480 Volt with cam connections
Diesel Generator 125 kVA (100 kW)	480 Volt with cam connections
Diesel Generator 180 kVA (150 kW)	480 Volt with cam connections
Diesel Generator 250 kVA (200 kW)	480 Volt with cam connections
Diesel Generator 375 kVA (300 kW)	480 Volt with cam connections
Diesel Generator 444 kVA (350 kW)	480 Volt with cam connections
Diesel Generator 500 kVA (400 kW)	480 Volt with cam connections
Diesel Generator 570 kVA (456 kW) Doosan	480 Volt with cam connections
Diesel Generator 681 kVA (545 kW) CAT Gen	480 Volt with cam connections
Diesel Generator 700 kVA And Higher	480 Volt with cam connections
NATURAL GAS/PROPANE GENERATORS (NGG)	
600 Volt is available on some of the generators, inquire Generator price will vary due to length of job***	
Natural Gas Generator 8-20 kVA	480 Volt with cam connections
Natural Gas Generator 25 kVA (20 kW)	480 Voltwith cam connections
Natural Gas Generator 30kVA (25kW on natural gas)	480 Volt with cam connections
Natural Gas Generator 45 kVA (36 kW)	480 Volt with cam connections

Natural Gas Generator 65kVA (52kw on natural gas)	480 Volt with cam connections
Natural Gas Generator 125 kVA (100 kW)	480 Volt with cam connections
Natural Gas Generator 160 kVA (128 kW)	480 Volt with cam connections
Natural Gas Generator 225 kVA (180 kW)	480 Volt with cam connections
Natural Gas Generator 250 kVA (200 kW)	480 Volt with cam connections
Natural Gas Generator 295 kVA (236 kW)	480 Volt with cam connections
Natural Gas Generator 300 kVA And Higher	480 Volt with cam connections
NATURAL GAS TURBINE GENERATORS (NGT)	
600 Volt is available on some of the generators, inquire Generator price will vary due to length of job***	
Natural Gas 200 kVA (160 kW) Generator, Turbine	Natural Gas 200 kW Capstone Turbine Generator
Natural Gas 312 kVA (250 kW) Generator, Turbine	Natural Gas 250 kW Flex Turbine Generator, ** Requires Commission and Decommission at Additional Cost**
Natural Gas 416 kVA (333 kW) Generator, Turbine	Natural Gas 333 kW Flex Turbine Generator, ** Requires Commission and Decommission at Additional Cost**
Natural Gas 1 Mega Watt<+ Turbine	Call To Discuss Pricing on Projects requiring more than 1 MW
DISTRIBUTION PRODUCTS	
Price will vary due to length of job*Customization Charges Apply to all Panels and Cords, where adaptations are requested.*****	
Main Distribution Panel (MP)	480 Volt Distribution with built-in transformer to 120/208 Volt Distribution
480 Volt Distribution Panel (DP)	480 Volt Distribution with x 6-100, 2 x 60 and 2 x 30 Amp P&S Receptacles
Distribution Panel 120/208 Volt (SP)	2 x 100 Amp, 1 x 60 Amp, 10 x 30 Amp and 8 x15 Amp Receptacles
480 Volt to 600 Volt Transformer (TX)	75 kVA
480 Volt to 600 Volt Transformer (TX)	112.5 kVA
480 Volt to 600 Volt Transformer (TX)	225 kVA
480 Volt to 600 Volt Transformer (TX)	300 kVA
480 Volt to 600 Volt Transformer (TX)	500 kVA
Distribution Panel 30 Amp (PP)	120/208 Volt with 6 x 20 Amp Receptacles
Cart Distribution Panel 120/208 Volt (CP)	6 x 30, 4 x 15 Amp Receptacles
Indicator Panel (IP)	Indicator Panel For Wellheads
Load Bank (LB)	100 kW Multi-Voltage Outdoor Rated Load Bank
Load Bank (LB)	255 kW Multi-Voltage Outdoor Rated Load Bank
Motor Control Panel (MCP)	30 Hp and 50 Hp 480 V Stop/Start Pump Control Panels
Transfer Switch 800 (TS8)	800 Amp Manual Transfer Switch
Transfer Switch 600 (TS6)	600 Amp Manual Transfer Switch
Transfer Switch 400 (TS)	400 Amp Manual Transfer Switch
200 Amp Disconnect Switch (DS2)	Fusable Disconnect w/ cam locks
400 Amp Disconnect Switch (DS4)	Fusable Disconnect w/ cam locks
600 Amp Disconnect Switch (DS6)	Fusable Disconnect w/ cam locks
800 Amp Disconnect Switch (DS8)	Breaker Disconnect w/ cam locks
Double Disconnect Switch (DDS2)	2 x 200 Amp Fusable Disconnect on stand
Hardwire Stand (HWS)	Cam Lock Inputs/ Hardwire Outputs 800 Amp
Tap Box (TB)	1600 Amp Rated Junction Box
Tap Box (TB)	4000 Amp Rated Junction Box with built in voltage/amps meter
VFD (Variable Frequency Drive) (VFD)	100 HP 480 V Electric Motor Control
Motor Soft Start (MSS)	100 HP 480 V Electric Motor Control

ELECTRICAL CORD

*******Customization Charges Apply to all Panels and Cords, where adaptations are requested.*******

DLO Cable, 1 Set 10'	10 Feet, 405 Amp Single Conductor Cam locks (set of 4, 10')
DLO Cable, 1 Set 25'	25 Feet, 405 Amp Single Conductor Cam locks (set of 4, 25')
DLO Cable, 1 Set 50'	50 Feet, 405 Amp Single Conductor Cam locks (set of 4, 50')
DLO Cable, 1 Set 100'	100 Feet, 405 Amp Single Conductor Cam locks (set of 4, 100')
100 Amp 3W4P, 100 Foot Length (RED)	480 Volt Cording, Pin & Sleeve TYPE W Cable
100 Amp 4W4P, 100 Foot Length (YELLOW)	480 Volt Cording, Pin & Sleeve TYPE W Cable
60 Amp 3W4P, 100 Foot Length (GREEN)	480 Volt Cording, Pin & Sleeve TYPE W Cable
60 Amp 4W4P, 100 Foot Length (PURPLE)	480 Volt Cording, Pin & Sleeve TYPE W Cable
30 Amp 480 V, 50 Foot Length (BLACK)	480 Volt Cording, Pin & Sleeve SOW Cable
50 Amp 120/208 V, 50 Foot Length (PINK)	120/208 V Volt Cording, Twist Lock TYPE W Cable
30 Amp 125/250 V, 50 Foot Length (WHITE)	120/208 V Volt Cording, Twist Lock SOW Cable
30 Amp 120/208 V, 50 Foot Length (ORANGE)	120/208 V 3 Phase Cording, Twist Lock SOW Cable
15 Amp 3W4P, 50 Foot Length (BLUE)	120 Volt Cording, SOW Cable
Adaptor Cords (Customized)	DLO to Pin Sleeve or other configuration (CUSTOM)
Generator Cam Whips (Set of 4)	Generator Cam Whips
400 Amp Gender Camlock Reversal	400 Amp Gender Camlock Reversal
400 Amp Tri Camlock	400 Amp Tri Camlock

TRUCKING

Truck and Operator Rate, Standard	Hourly Rate
Truck and Operator Rate, Overtime	1.5 Hourly Rate (After 12 Hours, and Holidays)
Electrician Rate, Standard Oilfield Rate	Hourly Rate
Electrician Rate, Overtime Oilfield Rate	1.5 Hourly Rate (After 12 Hours, and Holidays)
Electrician Rate, Standard Commercial Rate	Hourly Rate
Electrician Rate, Overtime Commercial Rate	1.5 Hourly Rate (After 12 Hours, and Holidays)
Shop Rate for Electrician, Standard	Hourly Rate For Shop Projects/Builds/Loading/Unloading
Shop Rate for Electrician, Overtime	1.5 Hourly Rate (After 12 Hours, and Holidays)
Turbine Technician (EPS), Standard	Hourly Rate
Turbine Technician (EPS), Overtime	1.5 Hourly Rate (After 12 Hours, and Holidays)
Shop Rate for Technician, Standard	Hourly Rate For Shop Projects/Builds/Loading/Unloading
Shop Rate for Technician, Overtime	1.5 Hourly Rate (After 12 Hours, and Holidays)
Swamper Services Rate, Standard	Hourly Rate
Swamper Services Rate, Overtime	1.5 Hourly Rate (After 12 Hours, and Holidays)

SERVICES/MISC.

Small Generator Service	Fluid and Filter Replacement 70 kVA and Under
Large Generator Service	Fluid and Filter Replacement 100 kVA and Larger
Generator Return Inspection (No Service Required)	Full Inspection and Cleaning (No Service Required)
Power Equipment Inspection & Cleaning	Power Equipment Inspection & Cleaning
Power Cord Inspection & Cleaning	Power Cord Inspection & Cleaning
Trailer/Gooseneck	Daily Rate For Trailer/Gooseneck
After hours call out fee (00)	Flat rate fee for call out after hours (00)
Skidsteer	Daily Rate For Skidsteer
Repairs	Equipment Repair upon Rental Return

Rental Return	Hourly Rate Inspection and Clean
EPS Commissioning/Decommissioning	Turbine Commissioning/Decommissioning per Unit
Emission Reporting/Administrative Services	Hourly Rate for Personnel
Emissions Field Test	Personnel to Conduct Emission Test, Per Unit
Remote Monitoring	Remote Generator Performance Monitoring
Equipment Grounding Charge	Ground Rod, Ground Clamps and #4 Ground Wire, Ground Tag
Large Equipment Grounding Charge(When cable over 100')	Ground Rod, Ground Clamps and #4 Ground Wire, Ground Tag
Administration/LOA	Costs associated with overnight stay when Hours of Service or Customer Requests Demand Overnighting
Hotel/LOA	Hotel and LOA Costs Per Night
Fuel/Travel	Per km Additional Charge
Fuel	Cost Plus 15%
Personal Gas Monitors	Safety Products, 4 Head Monitors
Safety Supply Charge	Customer Specific/Requested Items
Grounding Products	Cabling, Clamps
Parts	Parts
Road Crossings/Cord Barriers	8', 10' or 12' Widths Available, as well as custom projects.
Cones	Cording Support Cones
DEF Tote with Pump	Tote with Pump
DEF Fluid	Per Litre
Consumables	Consumables
Waste Disposal Fees	Rags, Filters, Product/Fluid Disposal
Small Materials	Small Materials